


IXENGO JS 230V

IXENGO JL 230V





FR Manuel d'installation - Illustrations
EN Installation instructions - Illustrations
PL Instrukcja montażu - Ilustracje
RU Руководство по установке - Иллюстрации
CS Návod k montáži - obrázek
RO Manual de instalare - Ilustrații
IT Manuale d'installazione - Illustrazioni

PT Manual de instalação - Ilustrações
ES Manual de instalación - ilustraciones
EL Εγχειρίδιο εγκατάστασης - Εικόνες
TR Montaj kılavuzu - örneklemeler
FA راهنمای نصب
AR دليل التركيب



1




2




3





Fix&GO



$B = Z + X$


Ixengo JS 230V

| α° | X (mm) | B (mm) | A max speed | A recommended | A max |
|-------------------------------|--------|--------|-------------|---------------|-------|
| $\alpha^\circ \leq 90^\circ$ | 20 | 95 | 83 | 103 | 203 |
| | 40 | 115 | 83 | 106 | 183 |
| | 60 | 135 | 83 | 143 | 163 |
| | 80 | 155 | 83 | 143 | 143 |
| | 100 | 175 | 83 | 123 | 123 |
| | 120 | 195 | 83 | 83 | 83 |
| $\alpha^\circ \leq 115^\circ$ | 20 | 95 | 103 | 143 | 143 |
| | 40 | 115 | 123 | 123 | 123 |
| $\alpha^\circ \leq 125^\circ$ | 0 | 75 | 143 | 143 | 143 |
| $\alpha^\circ \leq 130^\circ$ | -20 | 55 | 123 | 123 | 143 |

Ixengo JL 230V

| α° | X (mm) | B (mm) | A max speed | A recommended | A max |
|-------------------------------|--------|--------|-------------|---------------|-------|
| $\alpha^\circ \leq 90^\circ$ | 20 | 95 | 83 | 103 | 263 |
| | 40 | 115 | 83 | 123 | 283 |
| | 60 | 135 | 83 | 123 | 263 |
| | 80 | 155 | 83 | 143 | 243 |
| | 100 | 175 | 83 | 163 | 223 |
| | 120 | 195 | 83 | 183 | 203 |
| | 140 | 215 | 83 | 163 | 183 |
| $\alpha^\circ \leq 115^\circ$ | 20 | 95 | 103 | 103 | 223 |
| | 40 | 115 | 123 | 123 | 203 |
| $\alpha^\circ \leq 125^\circ$ | 20 | 95 | 143 | 143 | 203 |
| | 40 | 115 | 143 | 143 | 143 |
| $\alpha^\circ \leq 135^\circ$ | 20 | 95 | 183 | 183 | 183 |
| $\alpha^\circ \leq 140^\circ$ | 0 | 75 | 183 | 183 | 183 |
| $\alpha^\circ \leq 145^\circ$ | -20 | 55 | 183 | 183 | 183 |







5



5a


5b

5c



Ixengo JS 230V

| α° | B (mm) | A (mm) |
|----------------|--------|--------|
|----------------|--------|--------|




! $A+B \leq 300$ mm

| | | |
|------------------------------|-----|-----------------------|
| $\alpha^\circ \leq 90^\circ$ | 130 | $100 \leq A \leq 160$ |
| | 150 | |
| | 170 | |
| | 190 | |
| | 210 | |

Ixengo JL 230V



| α° | B (mm) | A (mm) |
|----------------|--------|--------|
|----------------|--------|--------|










! $A+B \leq 400$ mm





| | | |
|------------------------------|-----|-----------------------|
| $\alpha^\circ \leq 90^\circ$ | 130 | $100 \leq A \leq 220$ |
| | 150 | |
| | 170 | |
| | 190 | |
| | 210 | |
| | 230 | |
| | 250 | |

6




7








9



10



11



SOMFY ACTIVITES SA

50 avenue du Nouveau Monde

74300 CLUSES

FRANCE

www.somfy.com

somfy®

EAC

CE



5135451B